

Plant List for Median and Right of Way

Genus	Species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
<i>Achillea</i>	<i>millefolium</i>	'Terra Cotta'	Terra Cotta Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
<i>Amorpha</i>	<i>nana</i>		Dwarf Leadplant	dry to xeric	None required	None required
<i>Arctostaphylos</i>	<i>× coloradensis</i>	'Panchito'	Panchito Manzanita	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
<i>Arctostaphylos</i>	<i>× coloradensis</i>	'Chieftain'	Chieftain Manzanita	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
<i>Baptisia</i>	<i>sphaerocarpa</i>	'Screamin' Yellow'	Yellow Wild Indigo	dry to xeric	Cut back to base/shear down to the ground every spring.	Follow annual maintenance.
<i>Berlandiera</i>	<i>lyrata</i>		Chocolate Flower	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
<i>Bouteloua</i>	<i>gracilis</i>	'Blonde Ambition'	Blonde Ambition Blue Grama Grass	dry to xeric	Cut back every early spring.	Divide or remove old plants and replace with new plants.
<i>Callirhoe</i>	<i>involucrata</i>		Winecups	dry to xeric	Cut back/shear to base every spring	No maintenance, long lived plant that is well behaved.
<i>Chamaebatiaria</i>	<i>millefolium</i>		Fernbush	dry to xeric	Shape/Shear 2"-6" off all branch tips every early spring into a nice round mound. This will promote a great branching structure for a nice dense shrub, while deadheading each year. Leave the short branch tips on the ground as "mulch".	Follow annual maintenance.
<i>Crataegus</i>	<i>ambigua</i>		Russian Hawthorn	moderate to dry	Occasional thinning required in spring and every summer trim back any suckers that may occur at base. Use ISA pruning practices for pruning. On multi-stem specimens keep lower branches trimmed off to desired height.	Follow annual maintenance.
<i>Engelmannia</i>	<i>peristenia</i>		Engelmann's Daisy	dry to xeric	Prune back/shear to ground in spring.	Follow annual maintenance. Weed any undesirable seedlings.
<i>Epilobium</i>	<i>canum</i>	ssp. <i>garrettii</i> ORANGE CARPET®	ORANGE CARPET® Hummingbird Trumpet	moderate to xeric	No maintenance or trim a few inches each year to promote spreading the plant into a wider size.	Follow annual maintenance. This is a long lived perennial and continuously spreads out from center at a resonable rate, but divide if it grows too large.
<i>Eriogonum</i>	<i>umbellatum</i>	var. <i>aureum</i> 'Psdowns'	KANNAH CREEK® Buckwheat	dry to xeric	Cut back/shear off spent flower heads every fall. Or leave for winter interest and shear in March.	No maintenance, long lived plant that is well behaved.
<i>Gymnocladus</i>	<i>dioicus</i>		Kentucky Coffee Tree	moderate to dry	Follow ISA pruning practices or call a certified arborist.	Follow ISA pruning practices or call a certified arborist.

Genus	Species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
<i>Hesperaloe</i>	<i>parviflora</i>		Red Yucca	dry to xeric	Trim flower stems back to base of plant every early spring.	Follow annual maintenance.
<i>Koelreuteria</i>	<i>paniculata</i>		Golden Rain Tree	moderate to dry	Follow ISA pruning practices or call a certified arborist.	Follow ISA pruning practices or call a certified arborist.
<i>Lavandula</i>	<i>angustifolia</i>	'Nana Alba'	Wee One Lavender	moderate to dry	Hand trim or shear back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
<i>Marrubium</i>	<i>rotundifolium</i>		Silverheels Horehound	moderate to xeric	Trim out dead foliage in the spring. Dead head in the summer if desired.	Follow annual maintenance.
<i>Nassella</i>	<i>tenuissima</i>		Mexican Feather Grass	dry to xeric	Cut back every early spring. Remove undesired seedlings in spring.	Follow annual maintenance. Weed any undesirable seedlings.
<i>Nepeta</i>	<i>× faassenii</i>	'Cat's Pajamas'	Cat's Pajamas Catmint	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance
<i>Penstemon</i>	<i>strictus</i>		Rocky Mountain Penstemon	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
<i>Penstemon</i>	<i>rostriflorus</i>		Bridge's Penstemon	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
<i>Pinus</i>	<i>edulis</i>		Dwarf Pinon Pine	moderate to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
<i>Prunus</i>		SUCKER PUNCH®	SUCKER PUNCH® Chokecherry	moderate to dry	Good growth habit and tends not to exhibit many crossing branches requiring less pruning maintenance. If pruning is required, use ISA practices for pruning as plant matures.	Follow ISA pruning practices or call a certified arborist.
<i>Prunus</i>	<i>pumila</i>	var. <i>besseyi</i> 'PAWNEE BUTTES®'	PAWNEE BUTTES® Western Sand Cherry	moderate to xeric	After its mature, select a few larger branches and prune them off to about 6" above ground and let plant rejuvenate.	In the spring trim over all height back to less than 18" and allow it to rejuvenate.
<i>Quercus</i>	<i>muehlenbergii</i>		Chinquapin Oak	moderate to dry	Stake to establish. Remove stakes after 2 years. Good growth habit and tends not to exhibit many crossing branches requiring less pruning maintenance. If pruning is required, use ISA practices for pruning as plant matures.	Follow ISA pruning practices or call a certified arborist.
<i>Quercus</i>	<i>macrocarpa</i>		Bur Oak	moderate to dry	Follow ISA standards, if necessary hire professional arborist	Follow ISA pruning practices or call a certified arborist.
<i>Rhus</i>	<i>aromatica</i>	'Grow-low'	Fragrant Sumac	moderate to dry	No maintenance. If it out grows space trim it back hard in spring.	Follow annual maintenance
<i>Schizachyrium</i>	<i>scoparium</i>	'Standing Ovation'	Standing Ovation Little Bluestem	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance.
<i>Tanacetum</i>	<i>densum</i>	ssp. <i>amani</i>	Partridge Feather	moderate to xeric	No maintenance, unless there is some winter dieback, then trim/rake out dead.	Follow annual maintenance.

Genus	Species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
<i>Thymus</i>	<i>serpyllum</i>	'Pink Chintz'	Pink Chintz Thyme	dry to xeric	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
<i>Zinnia</i>	<i>grandiflora</i>	'Gold on Blue'	Golden Flowered Prairie Zinnia	dry to xeric	It's easiest to never touch this plant. It will look brown in spring, but it is alive and will turn green the hotter it gets. Use a blower to remove other plant's leaf litter. You will appreciate not having to think about this plant.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.

SIZE: All perennials installed at quart size

SIZE: All shrubs installed at 1 gallon size

SOIL: Soil mix: squeegee to topsoil 1:1 ration at minimum of 6" depth

MULCH: mulch with squeegee 2" depth

IRRIGATION: Recommend overhead spray irrigation for establishment period (1-2 years), thereafter, supplemental irrigation only

IRRIGATION: Trees require dedicated irrigation line and regular irrigation